

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: QBC Malaria Test Kit
Catalog Number: 253005 and 253037
Manufacturer: Drucker Diagnostics

168 Bradford Drive

Port Matilda, PA, 16870 USA Telephone (814) 692-7661

## In case of an emergency, spill, fire, exposure, or accident contact:

Drucker Diagnostics Technical Support 866-265-1486

## 2. HAZARDS IDENTIFICATION

#### **Classifications:**

Specific Target Organ Toxicity (Repeated Exposure) – Category 2

Skin Irritation – Category 3 Eye Irritation – Category 2B



#### **Health Statements:**

H302/H312/H332 Harmful by inhalation, in contact with skin and if swallowed.

H313 May be harmful in contact with skin

H315/H320H335 Irritating to eyes, respiratory system and skin

H333 May be harmful if inhaled H318 May cause serious eye damage

H373 May cause damage to organs through prolonged or repeated

exposure

# **Precautionary Statements:**

P101 If medical advice is needed, have product container or label at

hand

P102 Keep out of reach of children

P103 Read label before use

P262 Avoid contact with skin and eyes

QBC Malaria Test Kit (253005 and 253037)

Page 1 of 6



P305+351+338 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

P281 Wear protective gloves/protective clothing/eye protection/face

protection

P314 In case of accident or if you feel unwell seek medical attention

immediately, (show the label where possible)

# 3. COMPOSITION/INFORMATION ON INGRIEDIENTS

Mixture of the substances listed below with nonhazardous additions.

Hazardous Ingredients (specific)	CAS#	%
Potassium Oxalate	583-52-8	34%

#### 4. FIRST-AID MEASURES

**Inhalation** IF INHALED, supply fresh air. Seek medical attention if

breathing becomes difficult or if respiratory irritation develops.

Skin Contact IF ON SKIN, immediately wash with soap and water and rinse

thoroughly.

Eye Contact IF IN EYES, rinse the open eye with water for 15 minutes. Seek

medical attention if irritation develops.

**Ingestion** IF SWALLOWED, immediately seek medical attention.

## 5. FIRE-FIGHTING MEASURES

## **Flammability Summary**

Product is not known to be flammable, combustible, pyrophoric, or explosive.

# **Suitable Extinguishing Agents**

CO<sub>2</sub>, ABC Multipurpose Dry Chemical or Water Spray

Fight larger fires with water spray or alcohol resistant foam.

## **Unsuitable Extinguishing Agents**

Not Applicable

## **Protective Equipment**

Not Applicable

# 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Protection for Emergency Situations**

Use the personal protection equipment recommended in Section 8.

# **Measures for Environmental Protection**

Wipe up with a damp sponge or mop.



## **Measures for Cleaning/Collecting**

Use personal protection equipment recommended in Section 8 and be cautious if there is broken glass present. Use internal policy for cleaningup and disposing of chemical contaminated sharps.

Refer to Section 13 for specific disposal information.

## 7. HANDLING AND STORAGE

## Handling

## **Information for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

# Information about protection against explosion and fires:

No special measures required.

## **Storage**

# Requirements to be met by storerooms and receptacles:

No special requirements

# Information about storage in one common storage facility:

Store away from oxidizing agents

## Further information about storage conditions:

None.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## **Exposure Guidelines:**

Component	CAS #*	Type*:	Value*	
Potassium Oxalate	583-52-8	LD <sub>50</sub> Oral	10-30 g (Adult)	

<sup>\*</sup>This Information was taken from the MSDS' of the individual chemicals

#### **Personal Protective Equipment**







**Respiratory Protection Hand Protection Eve Protection** 

Not necessary Chemical resistant gloves (i.e. nitrile)

Safety glasses or face shield **Body Protection** 

Protective work clothing (i.e. lab coat)

#### When the product in used as directed with human blood:

Use appropriate personal protection equipment as instructed in an internal blood borne pathogen exposure control plan.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Solid

ColorOrange/WhiteOdorCharacteristicMelting PointUndeterminedBoiling PointUndeterminedFlash PointNot Applicable

**Flammability** Product is not flammable

**Danger of** Product does not present an explosion hazard

Explosion

**Density** Undetermined

**Solubility** 

In Water Soluble

**pH** Not Applicable

Solvent Contents 0.0% Solids Contents 100%

## 10. STABILITY AND REACTIVITY

## **Thermal Decomposition**

No decomposition if used according to specifications

#### **Conditions to Avoid**

None if used according to specifications

# **Dangerous Reactions**

No dangerous reactions known

# **Dangerous Products of Decomposition**

Carbon Monoxide (CO) and Carbon Dioxide (CO<sub>2</sub>)

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity
Skin irritation/corrosion
Eye damage/irritation
Respiratory or skin sensitation
Reproductive cell mutagenicity
Carcinogenicity
No acute toxicity effects known
No irritating effects known
No sensitizing effects known
No mutagenic effects known
No carcinogenic effects known

**Reproductive Toxicity** No reproductive toxicity effects known

**Specific Target Organ Toxicity** 

Single Exposure No toxicity effects known

**Repeated Exposure** Target Organs: Blood, liver, kidney, respiratory

system and skin



**Aspiration Hazard** No aspiration hazards known

## 12. ECOLOGICAL INFORMATION

The ecological effects have not been thoroughly investigated, but currently none have been identified.

Water Hazard Class 1 (Self-Assessment): slightly hazardous for water

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal of Product**

This product is not considered a RCRA hazardous waste Dispose of materials in accordance with federal, state and local requirements.

Product used with human blood as directed should be disposed of according to internal medical waste/sharps disposal requirements.

#### **Disposal of Uncleaned Packaging**

Dispose of materials in accordance with federal, state and local requirements.

#### 14. TRANSPORT INFORMATION

It is the determination of Drucker Diagnostics that the product does not meet the basic description of a Hazardous Material or Dangerous Good under the DOT, IATA or IMDG transportation regulations.

This product contains minimal amounts of toxic solids. The device is formed to a specific shape and the toxic materials are sprayed onto the glass. Due to the design during manufacturing and that the device must be used in whole during end use, the device does not release or otherwise result in exposure to hazardous chemical under normal conditions of use and transport.

#### **DOT Regulations**

Hazard Class Not Applicable

**Land Transport ARD/RID** 

Hazard Class Not Applicable

**Maritime transport IMDG** 

Hazard Class Not Applicable

Marine Pollutant No.

**Air Transport ICAO-TI and IATA-DGR** 



Hazard Class Not Applicable

## 15. REGULATORY INFORMATION

**EPCRA Section 313 (Extremely Hazardous Substances)** 

26628-2-28 Sodium Azide 67-63-0 Isopropanol

**TSCA (Toxic Substances Control Act)** 

583528 Potassium Oxalate

67630 Isopropanol

California Proposition 65 – Section A – Chemicals Known to Cause Cancer

None of the ingredients listed

California Proposition 65 – Section B – Chemicals Known to Cause

**Reproductive Toxicity** 

None of the ingredients listed

IARC (International Agency for Research on Cancer)

67630 Isopropanol (Group 3)

**NTP** (National Toxicology Program)

None of the ingredients listed

## 16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Drucker Diagnostics, Inc. or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Issue By: Drucker Diagnostics Quality Department** 

**Prepared Date: 5/27/14** 

**Contact:** Technical Service Representative