

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: QBC AccuTube Test Kit
Catalog Number: 423406
Product use Description: For hematology determinations with blood using QBC series Analyzer. For *In Vitro* Diagnostics use.

Manufacturer: Drucker Diagnostics
200 Shady Lane, Suite 170
Philipsburg, PA 16866 USA
Telephone (814) 692-7661

In case of an emergency, spill, fire, exposure, or accident contact:

Drucker Diagnostic Technical Support
866-265-1486

2. HAZARDS IDENTIFICATION

Classifications :

Specific Target Organ Toxicity (Repeated Exposure) – Category 2
Skin Irritation – Category 3
Eye Irritation – Category 2B
Germ Cell Mutagenicity- Category 1B



Health Statements:

H302/H312/H332 Harmful by inhalation, in contact with skin and if swallowed.
H313 May be harmful in contact with skin
H315/H320/H335 Irritating to eyes, respiratory system and skin
H333 May be harmful if inhaled
H318 May cause serious eye damage
H373 May cause damage to organs through prolonged or repeated exposure

Precautionary Statements:

| | |
|--------------|---|
| P101 | If medical advice is needed, have product container or label at hand |
| P102 | Keep out of reach of children |
| P103 | Read label before use |
| P262 | Avoid contact with skin and eyes |
| P305+351+338 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| P28 | Wear protective gloves/protective clothing/eye protection/face protection |
| P314 | In case of accident or if you feel unwell seek medical attention immediately, (show the label where possible) |

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of the substances listed below with nonhazardous additions.

| Hazardous Ingredients (<i>specific</i>) | CAS # | % |
|---|------------|-------|
| Potassium Oxalate | 583-52-8 | 39% |
| Acridine Orange | 10127-02-3 | 0.41% |

4. FIRST-AID MEASURES

| | |
|---------------------|--|
| Inhalation | IF INHALED, supply fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. |
| Skin Contact | IF ON SKIN, immediately wash with soap and water and rinse thoroughly. |
| Eye Contact | IF IN EYES, rinse the open eye with water for 15 minutes. Seek medical attention if irritation develops. |
| Ingestion | IF SWALLOWED, immediately seek medical attention. |

5. FIRE-FIGHTING MEASURES
Flammability Summary

Product is not known to be flammable, combustible, pyrophoric, or explosive.

Suitable Extinguishing Agents

CO₂, ABC Multipurpose Dry Chemical or Water Spray
 Fight larger fires with water spray or alcohol resistant foam.

Unsuitable Extinguishing Agents

Not Applicable

Protective Equipment

Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations

Use the personal protection equipment recommended in Section 8.

Measures for Environmental Protection

Wipe up with a damp sponge or mop.

Measures for Cleaning/Collecting

Use personal protection equipment recommended in Section 8 and be cautious if there is broken glass present. Use internal policy for cleaning-up and disposing of chemical contaminated sharps.

Refer to Section 13 for specific disposal information.

7. HANDLING AND STORAGE

Handling

Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosion and fires:

No special measures required.

Storage

Requirements to be met by storerooms and receptacles:

No special requirements

Information about storage in one common storage facility:

Store away from oxidizing agents

Further information about storage conditions:

None.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Personal Protective Equipment



Respiratory Protection

Not necessary

Hand Protection

Chemical resistant gloves (i.e. nitrile)

Eye Protection

Safety glasses or face shield

Body Protection

Protective work clothing (i.e. lab coat)

When the product is used as directed with human blood:

Use appropriate personal protection equipment as instructed in an internal blood borne pathogen exposure control plan.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------|--|
| Form | Solid |
| Color | Orange/White |
| Odor | Characteristic |
| Melting Point | Undetermined |
| Boiling Point | Undetermined |
| Flash Point | Not Applicable |
| Flammability | Product is not flammable |
| Danger of Explosion | Product does not present an explosion hazard |
| Density | Undetermined |
| Solubility | |
| In Water | Soluble |
| pH | Not Applicable |
| Solvent Contents | 0.0% |
| Solids Contents | 100% |

10. STABILITY AND REACTIVITY

Thermal Decomposition

No decomposition if used according to specifications

Conditions to Avoid

None if used according to specifications

Dangerous Reactions

No dangerous reactions known

Dangerous Products of Decomposition

Carbon Monoxide (CO) and Carbon Dioxide (CO₂)

11. TOXICOLOGICAL INFORMATION

| | |
|--|---------------------------------|
| Acute Toxicity | No acute toxicity effects known |
| Skin irritation/corrosion | No irritating effects known |
| Eye damage/irritation | No irritating effects known |
| Respiratory or skin sensitization | No sensitizing effects known |
| Reproductive cell mutagenicity | Contains mutagen |

Subchronic Data – Acridine Orange

Bacteria Mutation: 10 mmol/L

DNA Damage Rodent-mouse ascites tumor: 20 µmol/L

DNA Adduct –fish, salmon sperm: 40 nmol/L

| | |
|---------------------------------------|--|
| Carcinogenicity | No carcinogenic effects known |
| Reproductive Toxicity | No reproductive toxicity effects known |
| Specific Target Organ Toxicity | |
| Single Exposure | No toxicity effects known |
| Repeated Exposure | Target Organs: Blood, liver, kidney, respiratory system and skin |
| Aspiration Hazard | No aspiration hazards known |

12. ECOLOGICAL INFORMATION

The ecological effects have not been thoroughly investigated, but currently none have been identified.

Water Hazard Class 1 (Self-Assessment): slightly hazardous for water

13. DISPOSAL CONSIDERATIONS

Disposal of Product

This product is not considered a RCRA hazardous waste

Dispose of materials in accordance with federal, state and local requirements.

Product used with human blood as directed should be disposed of according to internal medical waste/sharps disposal requirements.

Disposal of Uncleaned Packaging

Dispose of materials in accordance with federal, state and local requirements.

14. TRANSPORT INFORMATION

It is the determination of Drucker Diagnostics that the product does not meet the basic description of a Hazardous Material or Dangerous Good under the DOT, IATA or IMDG transportation regulations.

This product contains minimal amounts of toxic solids. The device is formed to a specific shape and the toxic materials are sprayed onto the glass. Due to the design during manufacturing and that the device must be used in whole during end use, the device does not release or otherwise result in

exposure to hazardous chemical under normal conditions of use and transport.

DOT Regulations

Hazard Class Not Applicable

Land Transport ARD/RID

Hazard Class Not Applicable

Maritime transport IMDG

Hazard Class Not Applicable

Marine Pollutant No

Air Transport ICAO-TI and IATA-DGR

Hazard Class Not Applicable

15. REGULATORY INFORMATION

SARA Section 355 (Extremely Hazardous Substances)

26628228 Sodium Azide

SARA Section 313 (Specific Toxic Chemical Listings)

67630 Isopropanol

TSCA (Toxic Substances Control Act)

583528 Potassium Oxalate

67630 Isopropanol

California Proposition 65 – Section A – Chemicals Known to Cause Cancer

None of the ingredients listed

California Proposition 65 – Section B – Chemicals Known to Cause Reproductive Toxicity

None of the ingredients listed

IARC (International Agency for Research on Cancer)

67630 Isopropanol (Group 3)

NTP (National Toxicology Program)

None of the ingredients listed

16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Drucker Diagnostics, or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue By: Drucker Diagnostics Quality Department

Prepared Date: 4 April 2016

Contact: Technical Service Representative